

BDK Leisure Limited
Trading As Ashby Ten Pin Bowling Centre
Bowling Area Risk Assessment Documentation
Last Revision: 13th June 2023

The document is split into sections, the key for the events assessed is as follows:

Likelihood – How likely an event will occur	Severity – How much harm an event will cause	Risk – How dangerous an event will be	Control – What must happen to lower the risk of the event
1 – Low likelihood This means an event is unlikely to occur at any time.	1 – None This means that an event causes no harm.	1 – Low The risk of harm to anyone should an event occur is minimal.	A – Immediate All work will be stopped immediately until the risk is reduced.
2 – Medium likelihood This means an event is expected to occur from time to time.	2 – Slight This means that should an event occur, it may cause someone to be off work for up to 3 days maximum.	2 – Medium The risk of harm to anyone should an event occur should be expected but not serious.	B – Substantial Take measures to reduce the risk and implement within a defined period.
3 – High likelihood This means an event is expected to occur frequently.	3 – Serious This means that should an event occur, it may cause someone to be off work for more than 3 days.	3 – High The risk of harm to anyone should an event occur is likely and could be serious.	C – Acceptable The risk is adequately controlled.
4 – Very High likelihood This means an event is certain or near certain to occur.	4 – Major This means that should an event occur, it may cause someone major harm or death.	4 – Very High The risk of harm to anyone should an event occur is certain or near certain and could be serious.	D – Miscellaneous No action is required and no documentation is to be kept.

SECTION C: BOWLING AREA

<u>Area</u>	<u>Hazard</u>	<u>People at risk</u>	<u>Likelihood</u>	<u>Severity</u>	<u>Risk Rating</u>	<u>Precautions in place</u>	<u>Actions Required</u>	<u>Control</u>
Bowling Area – General	TRIPS & SLIPS	Employees & Public	1 – Low	2 – Slight	2 – Medium	All flooring even and in good condition. Lighting sufficient. No food or drink in bowling area. Bowling shoes required if clean/dry trainers not worn.	Monitor small damage to floor near Lanes 3/4.	B – Substantial
Bowling Area – General	NOISE from the centre overall	Employees & Public	4 – Very High	1 – None	1 – Low	In general noise levels are acceptable and should be expected to rise and fall.	None	C – Acceptable
Bowling Area – General	FIRE	Employees & Public	1 – Low	4 – Major	4 – Very High	Specific fire assessment programme in place.	None	C – Acceptable
Bowling Area – C-90 Ball Returns	ELECTROCUTION	Employees	1 – Low	4 – Major	4 – Very High	C-90 ball returns isolated before removing cover. Motor unplugged as precaution.	None	C – Acceptable
Bowling Area – C-90 Ball Returns	MOVING PARTS	Employees	1 – Low	3 – Serious	4 – Very High	C-90 ball returns isolated before removing cover. LANE PAIR isolated when working with ball returns.	None	C – Acceptable
Bowling Area – C-90 Ball Returns	FALLING OBJECT Bowling Balls	Employees & Public	2 – Medium	2 – Slight	2 – Medium	Balls stored safely in the return tray.	None	C – Acceptable
Bowling Area – C-90 Ball Returns	TRAPS & BURNS Hand in ball return	Public	1 – Low	3 – Serious	3 – High	Warning signs displayed on ball returns. School children briefed on the danger of inserting hands into the ball return.	None	C – Acceptable

<u>Area</u>	<u>Hazard</u>	<u>People at risk</u>	<u>Likelihood</u>	<u>Severity</u>	<u>Risk Rating</u>	<u>Precautions in place</u>	<u>Actions Required</u>	<u>Control</u>
Bowling Area – Ball Racks	FALLING OBJECT Bowling Balls	Employees & Public	2 – Medium	2 – Slight	2 – Medium	Balls held in secure racking. Returned balls stored on ball return trays. Bowling ramps required for those who require them.	Display an updated ball weight information poster.	C - Acceptable